Computer Aided Geometric Design 10 (1993) 573–583
North-Holland

Master Index Volumes 1–10

(For the sake of simplicity and uniformity, all names beginning with articles or prepositions are listed as if written as single words.)

Abhyankar, S.S. and **C.L. Bajaj,** Automatic parameterization of rational curves and surfaces III: Algebraic plane curves 5 (4) 309–321
Alfeld, P., A trivariate Clough–Tocher scheme for tetrahedral data 1 (2) 169–181
Alfeld, P., A bivariate C^2 Clough–Tocher scheme 1 (3) 257–267
Alfeld, P., Derivative generation from multivariate scattered data by functional minimization 2 (4) 281–296
Alfeld, P., B. Piper and **L.L. Schumaker,** Minimally supported bases for spaces of bivariate piecewise polynomials of smoothness r and degree $d \geqslant 4r+1$ 4 (1–2) 105–123
Allgower, E.L. and **S. Gnutzmann**, Simplicial pivoting for mesh generation of implicitly defined surfaces 8 (4) 305–325
Alt, L., Rational linear reparametrization of NURBS and the blossoming principle 10 (5) 465–467
Anderson, D.C., *see* **Goldman, R.N.** 1 (4) 327–356
Anderson, D.C., *see* **Waggenspack Jr., W.N.** 6 (1) 33–53
Andersson, R.K.E., Surfaces with prescribed curvature I 10 (5) 431–452
Auerbach, S., R.H.J. Gmelig Meyling, M. Neamtu and **H. Schaeben**, Approximation and geometric modeling with simplex B-splines associated with irregular triangles 8 (1) 67–88
Aumann, G., Interpolation with developable Bézier patches 8 (5) 409–420
Ayala, D., *see* **Brunet, P.** 4 (1–2) 141–154

Bajaj, C.L., C.M. Hoffman, J.E.H. Hopcroft and **R.F. Lynch,** Tracing surface intersections 5 (4) 285–307
Bajaj, C.L., *see* **Abhyankar, S.S.** 5 (4) 309–321
Bajaj, C.L., *see* **Dey, T.K.** 9 (6) 457–470
Balbes, R. and **J. Siegel**, A robust method for calculating the simplicity and orientation of planar polygons 8 (4) 327–335
Ball, A.A., *see* **Storry, D.J.T.** 6 (2) 111–120
Bardis, L. and **N.M. Patrikalakis,** Approximate conversion of rational B-spline patches 6 (3) 189–204
Barnhill, R.E. and **A.J. Worsey,** Smooth interpolation over hypercubes 1 (2) 101–113
Barnhill, R.E. and **T. Whelan,** A geometric interpretation of convexity conditions for surfaces (Short Note) 1 (3) 285–287
Barnhill, R.E., Surfaces in computer aided geometric design: A survey with new results 2 (1–3) 1–17
Barnhill, R.E., B.R. Piper and **S.E. Stead,** A multidimensional surface problem: Pressure on a wing 2 (1–3) 185–187
Barnhill, R.E., G. Farin, M. Jordan and **B.R. Piper,** Surface/surface intersection 4 (1–2) 3–16
Barnhill, R.E. and **S.N. Kersey**, A marching method for parametric surface/surface intersection 7 (1–4) 257–280
Barnhill, R.E. and **H.S. Ou**, Surfaces defined on surfaces 7 (1–4) 323–336
Barnhill, R.E., T.A. Foley and **D.A. Lane**, Interpolating scattered multivariate data as a function of time 9 (5) 337–348
Barnhill, R.E., K. Opitz and **H. Pottmann**, Fat surfaces: a trivariate approach to triangle-based interpolation on surfaces 9 (5) 365–378
Barry, P.J. and **R.N. Goldman,** A recursive proof of a B-spline identity for degree elevation (Short Communication) 5 (2) 173–175
Barry, P.J., De Boor–Fix functionals and polar forms 7 (5) 425–430
Barry, P.J. and **R.-F. Zhu**, Another knot insertion algorithm for B-spline curves 9 (3) 175–183
Bedi, S. and **G.W. Vickers,** Surface lofting and smoothing with skeletal-lines 6 (2) 87–96
Bercovier, M. and **E. Shilat**, Enhancement of Gordon–Coons interpolations by "bubble functions" 10 (3–4) 253–265
Bez, H.E., On invariant curve forms 3 (3) 193–204
Bez, H.E., An analysis of invariant curves 6 (3) 265–277
Bez, H.E., An analysis of symmetry for plane curves and plane curve algorithms 9 (2) 125–142
Bloomenthal, J., Polygonization of implicit surfaces 5 (4) 341–355
Bobrow, J.E., *see* **Casale, M.S.** 6 (3) 235–247

Elsevier Science Publishers B.V.

Boehm, W., G. Farin and **J. Kahmann,** A survey of curve and surface methods in CAGD 1 (1) 1–60
Boehm, W., Calculating with box splines 1 (2) 149–162
Boehm, W., Triangular spline algorithms 2 (1–3) 61–67
Boehm, W., On the efficiency of knot insertion algorithms 2 (1–3) 141–143
Boehm, W., Curvature continuous curves and surfaces 2 (4) 313–323
Boehm, W., Bézier presentation of airfoils 4 (1–2) 17–22
Boehm, W., Rational geometric splines 4 (1–2) 67–77
Boehm, W., On de Boor-like algorithms and blossoming 5 (1) 71–79
Boehm, W., On cyclides in geometric modeling 7 (1–4) 243–255
Boehm, W., An affine representation of de Casteljau's and de Boor's rational algorithms 10 (3–4) 175–180
Boehm, W., Some remarks on quadrics 10 (3–4) 231–236
Bonneau, G.-P., *see* **Hagen, H.** 8 (5) 393–399
Brown, J.L., Vertex based data dependent triangulations 8 (3) 239–251
Brunet, P., Increasing the smoothness of bicubic spline surfaces 2 (1–3) 157–164
Brunet, P. and **D. Ayala,** Extended octtree representation of free form surfaces 4 (1–2) 141–154
Brunet, P., Including shape handles in recursive subdivision surfaces 5 (1) 41–50
Bürger, H. and **R. Schaback**, A parallel multistage method for surface/surface intersection 10 (3–4) 277–291

Canny, J.F., *see* **Manocha, D.** 9 (1) 1–24
Canny, J.F., *see* **Manocha, D.** 9 (1) 25–50
Cao, Y. and **X. Hua**, The convexity of quadratic parametric triangular Bernstein–Bézier surfaces 8 (1) 1–6
Carlson, R.E., *see* **Fritsch, F.N.** 2 (1–3) 117–121
Carnicer, J.M. and **W. Dahmen**, Convexity preserving interpolation and Powell–Sabin elements 9 (4) 279–289
Carnicer, J.M., Dual Bézier curves and convexity preserving interpolation 9 (6) 435–445
Casale, M.S. and **J.E. Bobrow,** A set operation algorithm for sculptured solids modeled with trimmed patches 6 (3) 235–247
Chang, G. and **Y. Feng,** An improved condition for the convexity of Bernstein–Bézier surfaces over triangles 1 (3) 279–283
Chang, G. and **B. Su,** Families of adjoint patches for a Bézier triangular surface 2 (1–3) 37–42
Charrot, P. and **J.A. Gregory,** A pentagonal surface patch for computer aided geometric design 1 (1) 87–94
Chau, S.W., *see* **Kouh, J.S.** 10 (6) 537–549
Chionh, E.-W. and **R.N. Goldman**, Degree, multiplicity, and inversion formulas for rational surfaces using *u*-resultants 9 (2) 93–108
Choi, B.K., H.-y. Shin and **W.S. Yoo**, Visually smooth composite surfaces for an unevenly spaced 3D data array 10 (2) 157–171
Chui, C.K. and **M.-J. Lai**, Algorithms for generating B-nets and graphically displaying spline surfaces on three- and four-directional meshes 8 (6) 479–493
Chui, C.K., *see* **Gruberger, N.** 10 (5) 469–481
Cobb, J.E., Letter to the Editor 6 (1) 85–86
Cohen, E., T. Lyche and **R. Riesenfeld,** Discrete box splines and refinement algorithms 1 (2) 131–148
Cohen, E. and **L.L. Schumaker,** Rates of convergence of control polygons 2 (1–3) 229–235
Cohen, F., *see* **Lyche, T.** 2 (1–3) 133–139
Costantini, P. and **C. Manni**, A local scheme for bivariate co-monotone interpolation 8 (5) 371–391

Dahmen, W. and **C. Micchelli,** Subdivision algorithms for the generation of box spline surfaces 1 (2) 115–129
Dahmen, W. and **C.A. Micchelli,** Line average algorithm: A method for the computer generation of smooth surfaces 2 (1–3) 77–85
Dahmen, W. and **C.A. Micchelli,** On the piecewise structure of discrete box splines 3 (3) 185–191
Dahmen, W., *see* **Carnicer, J.M.** 9 (4) 279–289
Dahmen, W. and **T.-M. Thamm-Schaar**, Cubicoids: modeling and visualization 10 (2) 89–108
Daniel, M. and **J.C. Daubisse,** The numerical problem of using Bézier curves and surfaces in the power basis 6 (2) 121–128
Dannenberg, L. and **H. Nowacki,** Approximate conversion of surface representations with polynomial bases 2 (1–3) 123–131
Daubisse, J.C., *see* **Daniel, M.** 6 (2) 121–128
De Boor, C., Cutting corners always works 4 (1–2) 125–131
De Boor, C., K. Höllig and **M. Sabin,** High accuracy geometric Hermite interpolation 4 (4) 269–278
De Boor, C., Local corner cutting and the smoothness of the limiting curve 7 (5) 389–397
Degen, W., Some remarks on Bézier curves 5 (3) 259–268
Degen, W.L.F., Explicit continuity conditions for adjacent Bézier surface patches 7 (1–4) 181–190

Degen, W.L.F., High accurate rational approximation of parametric curves 10 (3–4) 293–313
De Montaudouin, Y. and **W. Tiller,** The Cayley method in computer aided geometric design 1 (4) 309–326
DeRose, T.D., *see* **Goldman, R.N.** 3 (4) 247–265
DeRose, T.D., Necessary and sufficient conditions for tangent plane continuity of Bézier surfaces 7 (1–4) 165–179
De Tisi, F. and **M. Rossini**, Behavior of the beta-splines with values of the parameters beta2 negative 9 (6) 419–423
DeVore, R.A. and **Z. Yan,** Error analysis for piecewise quadratic curve fitting algorithms 3 (3) 205–215
DeVore, R.A., B. Jawerth and **B.J. Lucier**, Surface compression 9 (3) 219–239
Dey, T.K., K. Sugihara and **C.L. Bajaj**, Delaunay triangulations in three dimensions with finite precision arithmetic 9 (6) 457–470
Dæhlen, M., An example of bivariate interpolation with translates of C^0-quadratic box-splines on a three direction mesh 4 (3) 251–255
Dæhlen, M., *see* **Dokken, T.** 7 (1–4) 33–41
Dierckx, P. and **B. Tytgat,** Generating the Bézier points of a β-spline curve 6 (4) 279–291
Dietz, R., J. Hoschek and **B. Jüttler**, An algebraic approach to curves and surfaces on the sphere and on other quadrics 10 (3–4) 211–229
Dobkin, D.P. and **D.L. Souvaine**, Detecting the intersection of convex objects in the plane 8 (3) 181–199
Dokken, T., Finding intersections of B-spline represented geometries using recursive subdivision techniques 2 (1–3) 189–195
Dokken, T., M. Dæhlen, T. Lyche and **K. Mørken**, Good approximation of circles by curvature-continuous Bézier curves 7 (1–4) 33–41
Dyn, N., D. Levin and **J.A. Gregory,** A 4-point interpolatory subdivision scheme for curve design 4 (4) 257–268
Dyn, N., D. Levin and **C.A. Micchelli**, Using parameters to increase smoothness of curves and surfaces generated by subdivision 7 (1–4) 129–140
Dyn, N., I. Goren and **S. Rippa**, Transforming triangulations in polygonal domains 10 (6) 531–536

Eck, M., *see* **Pottmann, H.** 7 (1–4) 313–321
Eck, M., Degree reduction of Bézier curves 10 (3–4) 237–251
Ely, H.S., *see* **Foley, T.A.** 6 (2) 97–109
Emnett, R.F., *see* **Houghton, E.G.** 2 (1–3) 173–183

Factor, J.D., *see* **Houghton, E.G.** 2 (1–3) 173–183
Farin, G., *see* **Boehm, W.** 1 (1) 1–60
Farin, G., A modified Clough–Tocher interpolant 2 (1–3) 19–27
Farin, G., Some remarks on V^2-splines 2 (4) 325–328
Farin, G., Triangular Bernstein–Bézier patches 3 (2) 83–127
Farin, G., *see* **Barnhill, R.E.** 4 (1–2) 3–16
Farin, G., G. Rein, N. Sapidis and **A.J. Worsey,** Fairing cubic B-spline curves 4 (1–2) 91–103
Farin, G., B. Piper and **A.J. Worsey,** The octant of a sphere as a non-degenerate triangular Bézier patch (Short Communication) 4 (4) 329–332
Farin, G., Surfaces over Dirichlet tessellations 7 (1–4) 281–292
Farin, G., *see* **Worsey, A.J.** 7 (1–4) 337–351
Farin, G., D. Hansford and **A. Worsey**, The singular cases for γ-spline interpolation 7 (6) 533–546
Farin, G., Tighter convex hulls for rational Bézier curves 10 (2) 123–125
Farouki, R.T., Exact offset procedures for simple solids 2 (4) 257–279
Farouki, R.T., The approximation of non-degenerate offset surfaces 3 (1) 15–43
Farouki, R.T. and **V.T. Rajan,** On the numerical condition of polynomials in Bernstein form 4 (3) 191–216
Farouki, R.T. and **V.T. Rajan,** Algorithms for polynomials in Bernstein form 5 (1) 1–26
Farouki, R.T. and **V.T. Rajan,** On the numerical condition of algebraic curves and surfaces 1. Implicit equations 5 (3) 215–252
Farouki, R.T. and **C.A. Neff**, Analytic properties of plane offset curves 7 (1–4) 83–99
Farouki, R.T. and **C.A. Neff**, Algebraic properties of plane offset curves 7 (1–4) 101–127
Farouki, R.T., On the stability of transformations between power and Bernstein polynomial forms 8 (1) 29–36
Farouki, R.T. and **T. Sakkalis**, Real rational curves are not 'unit speed' 8 (2) 151–157
Farouki, R.T., *see* **Sakkalis, T.** 10 (6) 551–569
Feng, V., *see* **Chang, G.** 1 (3) 279–283
Feng, Y.-Y., Rates of convergence of Bézier net over triangles 4 (3) 245–249
Feng, Y.Y., *see* **Hartmann, E.** 10 (2) 127–142
Ferguson, D.R., P.D. Frank and **A.K. Jones,** Surface shape control using constrained optimization on the B-spline representation 5 (2) 87–103
Ferguson, H. and **A. Rockwood**, Multiperiodic functions for surface design 10 (3–4) 315–328

Filip, D., R. Magedson and **R. Markot,** Surface algorithms using bounds on derivatives 3 (4) 295–311
Flaquer, J., G. Gárate and **M. Pargada**, Envelopes of moving quadric surfaces 9 (4) 299–312
Floater, M.S., Derivatives of rational Bézier curves 9 (3) 161–174
Foley, T.A., Scattered data interpolation and approximation with error bounds 3 (3) 163–177
Foley, T.A., Local control of interval tension using weighted splines 3 (4) 281–294
Foley, T.A., A shape preserving interpolant with tension controls 5 (2) 105–118
Foley, T.A. and **H.S. Ely,** Surface interpolation with tension controls using cardinal bases 6 (2) 97–109
Foley, T.A., D.A. Lane, G.M. Nielson, R. Franke and **H. Hagen**, Interpolation of scattered data on closed surfaces 7 (1–4) 303–312
Foley, T.A., *see* **Barnhill, R.E.** 9 (5) 337–348
Fong, P. and **H.-P. Seidel**, An implementation of triangular B-spline surfaces over arbitrary triangulations 10 (3–4) 267–275
Franke, R., Thin plate splines with tension 2 (1–3) 87–95
Franke, R., *see* **Foley, T.A.** 7 (1–4) 303–312
Frank, P.D., *see* **Ferguson, D.R.** 5 (2) 87–103
Frey, W.H., *see* **Sapidis, N.S.** 9 (2) 85–91
Fritsch, F.N. and **R.E. Carlson,** Monotonicity preserving bicubic interpolation: A progress report 2 (1–3) 117–121
Fritsch, F.N., The Wilson–Fowler spline is a ν-spline 3 (2) 155–162
Fritsch, F.N., Representations for parametric cubic splines (Short Communication) 6 (1) 79–82
Fuhr, R.D. and **M. Kallay**, Monotone linear rational spline interpolation 9 (4) 313–319
Fu, Q., The intersection of a bicubic Bézier patch and a plane 7 (6) 475–488

Gallagher, T., *see* **Prautzsch, H.** 9 (2) 119–124
Gárate, G., *see* **Flaquer, J.** 9 (4) 299–312
Garrity, T. and **J. Warren,** On computing the intersection of a pair of algebraic surfaces 6 (2) 137–153
Garrity, T. and **J. Warren**, Geometric continuity 8 (1) 51–65
Geise, G. and **U. Langbecker**, Finite quadric segments with four conic boundary curves 7 (1–4) 141–150
Geise, G. and **B. Jüttler**, A geometrical approach to curvature continuous joints of rational curves 10 (2) 109–122
Georgiades, P.N., Using graphs of bivariate functions to locally represent and modify surfaces 10 (5) 453–463
Gmelig Meyling, R.H.J. and **P.R. Pfluger**, Smooth interpolation to scattered data by bivariate piecewise polynomials of odd degree 7 (5) 439–458
Gmelig Meyling, R.H.J., *see* **Auerbach, S.** 8 (1) 67–88
Gnutzmann, S., *see* **Allgower, E.L.** 8 (4) 305–325
Goldapp, M., Approximation of circular arcs by cubic polynomials 8 (3) 227–238
Goldman, R.N. and **D.C. Heath,** Linear subdivision is strictly a polynomial phenomenon 1 (3) 269–278
Goldman, R.N., T.W. Sederberg and **D.C. Anderson,** Vector elimination: A technique for the implicitization, inversion, and intersection of planar parametric rational polynomial curves 1 (4) 327–356
Goldman, R.N., The method of resolvents: A technique for the implicitization, inversion, and intersection of non-planar, parametric, rational cubic curves 2 (4) 237–255
Goldman, R.N. and **T.D. DeRose,** Recursive subdivision without the convex hull property 3 (4) 247–265
Goldman, R.N., *see* **Barry, R.J.** 5 (2) 173–175
Goldman, R.N., Blossoming and knot insertion algorithms for B-spline curves 7 (1–4) 69–81
Goldman, R.N., *see* **Stefanus, Y.** 9 (2) 73–84
Goldman, R.N., *see* **Chionh, E.-W.** 9 (2) 93–108
Goodman, T.N.T. and **K. Unsworth,** Shape preserving interpolation by curvature continuous parametric curves 5 (4) 323–340
Goodman, T.N.T., Constructing piecewise rational curves with Frenet frame continuity 7 (1–4) 15–31
Goodman, T.N.T., Inflections on curves in two and three dimensions 8 (1) 37–50
Goodman, T.N.T. and **H.B. Said**, Shape preserving properties of the generalised Ball basis 8 (2) 115–121
Goodman, T.N.T., Convexity of Bézier nets on triangulations 8 (2) 175–180
Goodman, T.N.T., Joining rational curves smoothly 8 (6) 443–464
Gopalsamy, S., D. Khandekar and **S.P. Mudur**, A new method of evaluating compact geometric bounds for use in subdivision algorithms 8 (5) 337–356
Goren, I., *see* **Dyn, N.** 10 (6) 531–536
Goshtasby, A. and **W.D. O'Neill**, Surface fitting to scattered data by a sum of Gaussians 10 (2) 143–156
Goult, R.J., *see* **Pratt, M.J.** 10 (3–4) 363–377
Grandine, T.A., An iterative method for computing multivariate C^1 piecewise polynomial interpolants 4 (4) 307–319
Grandine, T.A., Computing zeroes of spline functions 6 (2) 129–136
Grandine, T.A., On convexity of piecewise polynomial functions on triangulations 6 (3) 181–187
Gregory, J.A., *see* **Charrot, P.** 1 (1) 87–94

Gregory, J.A., Interpolation to boundary data on the simplex 2 (1–3) 43–52
Gregory, J.A. and **J.M. Hahn**, Geometric continuity and convex combination patches 4 (1–2) 79–89
Gregory, J.A., *see* **Dyn, N.** 4 (4) 257–268
Gregory, J.A. and **J.M. Hahn**, A C^2 polygonal surface patch 6 (1) 69–75
Gregory, J.A. and **M. Sarfraz**, A rational cubic spline with tension 7 (1–4) 1–13
Gregory, J.A. and **J. Zhou**, Convexity of Bézier nets on sub-triangles 8 (3) 207–211
Grieger, I., Geometry cells and surface definition by finite elements 2 (1–3) 213–222
Gruberger, N., D. Levin and **C.K. Chui**, Adding flexibility to piecewise quadratic curves and surfaces 10 (5) 469–481
Guggenheimer, H., Computing frames along a trajectory (Short Communication) 6 (1) 77–78

Hagen, H., Geometric spline curves 2 (1–3) 223–227
Hagen, H., Geometric surface patches without twist constraints 3 (3) 179–184
Hagen, H. and **G. Schulze**, Automatic smoothing with geometric surface patches 4 (3) 231–235
Hagen, H., *see* **Foley, T.A.** 7 (1–4) 303–312
Hagen, H. and **G.-P. Bonneau**, Variational design of smooth rational Bézier curves 8 (5) 393–399
Hahn, J., *see* **Gregory, J.A.** 4 (1–2) 79–89
Hahn, J.M., Geometric continuous patch complexes 6 (1) 55–67
Hahn, J.M., *see* **Gregory, J.A.** 6 (1) 69–75
Hansford, D., The neutral case for the min-max triangulation 7 (5) 431–438
Hansford, D., *see* **Farin, G.** 7 (6) 533–546
Hartmann, E., *see* **Li, J.** 7 (1–4) 209–220
Hartmann, E. and **Y.Y. Feng**, On the convexity of functional splines 10 (2) 127–142
Hazlewood, C., Approximating constrained tetrahedrizations 10 (1) 67–87
Heath, D.C., *see* **Goldman, R.N.** 1 (3) 269–278
Hermann, T., On a tolerance problem of parametric curves and surfaces 9 (2) 109–117
Hermann, T. and **G. Renner**, Note on the RBG-patch concept 9 (4) 271–277
Herron, G., Smooth closed surfaces with discrete triangular interpolants 2 (4) 297–306
Herron, G., Polynomial bases for quadratic and cubic polynomials which yield control points with small convex hulls 6 (1) 1–9
Hoffmann, C.M., *see* **Bajaj, C.L.** 5 (4) 285–307
Hoffmann, C.M., A dimensionality paradigm for surface interrogations 7 (6) 517–532
Höllig, K., *see* **De Boor, C.** 4 (4) 269–278
Höllig, K. and **H. Mögerle**, G-splines 7 (1–4) 197–207
Holmström, L., Piecewise quadric blending of implicitly defined surfaces 4 (3) 171–189
Hopcroft, J.E., *see* **Bajaj, C.L.** 5 (4) 285–307
Hopkins, M.R., *see* **Tilove, R.B.** 1 (3) 227–239
Hornung, C., W. Lellek, P. Rehwald and **W. Strasser**, An area-oriented analytical visibility method for displaying parametrically defined tensor-product surfaces 2 (1–3) 197–205
Hosaka, M. and **F. Kimura**, Non-four-sided patch expressions with control points 1 (1) 75–86
Hoschek, J., Detecting regions with undersirable curvature 1 (2) 183–192
Hoschek, J., Smoothing of curves and surfaces 2 (1–3) 97–105
Hoschek, J., Approximate conversion of spline curves 4 (1–2) 59–66
Hoschek, J., Intrinsic parametrization for approximation 5 (1) 27–31
Hoschek, J., Spline approximation of offset curves 5 (1) 33–40
Hoschek, J., F.-J. Schneider and **P. Wassum**, Optimal approximate conversion of spline surfaces 6 (4) 293–306
Hoschek, J., *see* **Li, J.** 7 (1–4) 209–220
Hoschek, J., Free-form curves and free-form surfaces 10 (3–4) 173
Hoschek, J., *see* **Dietz, R.** 10 (3–4) 211–229
Houghton, E.G., R.F. Emnett, J.D. Factor and **C.L. Sabharwal**, Implementation of a divide-and-conquer method for intersection of parametric surfaces 2 (1–3) 173–183
Hua, X., *see* **Cao, Y.** 8 (1) 1–6

Jawerth, B., *see* **DeVore, R.A.** 9 (3) 219–239
Jensen, T.W., C.S. Petersen and **M.A. Watkins**, Practical curves and surfaces for a geometric modeler 8 (5) 357–369
Joe, B., Construction of three-dimensional Delaunay triangulations using local transformations 8 (2) 123–142
Johnstone, J.K., A new intersection algorithm for cyclides and swept surfaces using circle decomposition 10 (1) 1–24
Jones, A.K., *see* **Ferguson, D.R.** 5 (2) 87–103
Jordan, M.C. and **F. Schindler**, Curves under tension 1 (4) 291–300
Jordan, M., *see* **Barnhill, R.E.** 4 (1–2) 3–16

Joshi, V.N., *see* **Sanglikar, M.A.** 7 (5) 399–414
Jüttler, B. and **P. Wassum**, Some remarks on geometric continuity of rational surface patches 9 (2) 143–157
Jüttler, B., *see* **Geise, G.** 10 (2) 109–122
Jüttler, B., *see* **Dietz, R.** 10 (3–4) 211–229

Kahmann, J., *see* **Boehm, W.** 1 (1) 1–60
Kaklis, P.D., *see* **Sapidis, N.S.** 5 (2) 127–137
Kallay, M. and **B. Ravani**, Optimal twist vectors as a tool for interpolating a network of curves with a minimum energy surface 7 (6) 465–473
Kallay, M., General B-spline Hermite interpolation 8 (2) 159–161
Kallay, M., *see* **Fuhr, R.D.** 9 (4) 313–319
Katz, S. and **T.W. Sederberg**, Genus of the intersection curve of two rational surface patches 5 (3) 253–258
Kersey, S.N., *see* **Barnhill, R.E.** 7 (1–4) 257–280
Khandekar, D., *see* **Gopalsamy, S.** 8 (5) 337–356
Kimura, F., *see* **Hosaka, M.** 1 (1) 75–86
Kimura, F., *see* **Sabin, M.A.** 1 (3) 289–290
Kirrmann, G., A short proof of an algorithm by Boehm 9 (1) 69–71
Klass, R. and **B. Kuhn**, Fillet and surface intersections defined by rolling balls 9 (3) 185–193
Klok, F., Two moving coordinate frames for sweeping along a 3D trajectory 3 (3) 217–229
Koparkar, P., *see* **Sanglikar, M.A.** 7 (5) 399–414
Kosters, M., High-order implicit blending surfaces of low degree 8 (6) 495–512
Kouh, J.S. and **S.W. Chau**, Computer-aided geometric design and panel generation for hull forms based on rational cubic Bézier curves 10 (6) 537–549
Kuhn, B., *see* **Klass, R.** 9 (3) 185–193

Lachance, M.A., Chebyshev economization for parametric surfaces 5 (3) 195–208
Lachance, M.A. and **A.J. Schwartz**, Four point parabolic interpolation 8 (2) 143–149
Lai, M.-J., *see* **Chui, C.K.** 8 (6) 479–493
Lai, M.-J., A characterization theorem of multivariate splines in blossoming form 8 (6) 513–521
Lane, D.A., *see* **Foley, T.A.** 7 (1–4) 303–312
Lane, D.A., *see* **Barnhill, R.E.** 9 (5) 337–348
Langbecker, U., *see* **Geise, G.** 7 (1–4) 141–150
Lang, J. and **O. Röschel**, Developable (1, n)-Bézier surfaces 9 (4) 291–298
Lasser, D., Bernstein–Bézier representation of volumes 2 (1–3) 145–149
Lau, K.H., Conditions for avoiding loss of geometric continuity on spline curves 5 (3) 209–214
Lawson, C.L., Properties of n-dimensional triangulations 3 (4) 231–246
Lee, E.T.Y., Some remarks concerning B-splines 2 (4) 307–311
Lee, E.T.Y., Yet another proof of knot insertion (Short Communication) 6 (1) 83–84
Lee, E.T.Y., A note on blossoming 6 (4) 359–362
Lee, E.T.Y., Erratum to "Yet another proof of knot insertion" 6 (4) 363
Lee, E.T.Y. and **M.L. Lucian**, Möbius reparametrizations of rational B-splines 8 (3) 213–215
Lellek, W., *see* **Hornung, C.** 2 (1–3) 197–205
Lempel, A. and **G. Seroussi**, Systematic derivation of spline bases 9 (5) 349–363
Levin, D., *see* **Dyn, N.** 4 (4) 257–268
Levin, D., *see* **Dyn, N.** 7 (1–4) 129–140
Levin, D., *see* **Gruberger, N.** 10 (5) 469–481
Liang, Y., *see* **Zheng, J.** 9 (5) 321–335
Li, J., **J. Hoschek** and **E. Hartmann**, G^{n-1}-functional splines for interpolation and approximation of curves, surfaces and solids 7 (1–4) 209–220
Liu, D., *see* **Nowacki, H.** 7 (1–4) 43–55
Liu, D., GC^1 continuity conditions between two adjacent rational Bézier surface patches 7 (1–4) 151–163
Liu, Q.-M., *see* **Wang, Z.-B.** 5 (4) 269–275
Lucian, M.L., *see* **Lee, E.T.Y.** 8 (3) 213–215
Lucier, B.J., *see* **DeVore, R.A.** 9 (3) 219–239
Luscher, N., A Greville-like formula for γ-spline functions (Short Communication) 6 (2) 173–176
Luscher, N., Calculations of curvature continuous cubic splines 9 (6) 425–433
Lü, X., *see* **Nowacki, H.** 7 (1–4) 43–55
Lyche, T., *see* **Cohen, E.** 1 (2) 131–148
Lyche, T., **E. Cohen** and **K. Mørken**, Knot line refinement algorithms for tensor product B-spline surfaces 2 (1–3) 133–139

Lyche, T. and **K. Mørken,** Knot removal for parametric B-spline curves and surfaces 4 (3) 217–230
Lyche, T., *see* **Dokken, T.** 7 (1–4) 33–41
Lynch, R.E., *see* **Bajaj, C.L.** 5 (4) 285–307

Maekawa, T. and **N.M. Patrikalakis,** Computation of singularities and intersections of offsets of planar curves 10 (5) 407–429
Magedson, R., *see* **Filip, D.** 3 (4) 295–311
Manni, C., *see* **Costantini, P.** 8 (5) 371–391
Manocha, D. and **J.F. Canny,** Detecting cusps and inflection points in curves 9 (1) 1–24
Manocha, D. and **J.F. Canny,** Algorithm for implicitizing rational parametric surfaces 9 (1) 25–50
Markot, R., *see* **Filip, D.** 3 (4) 295–311
Meek, D.S. and **R.S.D. Thomas,** A guided clothoid spline 8 (2) 163–174
Meek, D.S. and **R.S.D. Thomas,** Hermite interpolation with a pair of spirals 10 (6) 491–507
Meier, H. and **H. Nowacki,** Interpolating curves with gradual changes in curvature 4 (4) 297–305
Menq, C.-H., *see* **Sarkar, B.** 8 (4) 267–290
Meyers, R.J., *see* **Sederberg, T.W.** 5 (2)161–171
Micchelli, C., *see* **Dahmen, W.** 1 (2) 115–129
Micchelli, C.A., *see* **Dahmen, W.** 2 (1–3) 77–85
Micchelli, C.A., *see* **Dahmen, W.** 3 (3) 185–191
Micchelli, C.A., *see* **Prautzsch, H.** 4 (1–2) 133–140
Micchelli, C.A. and **H. Prautzsch,** Computing surfaces invariant under subdivision 4 (4) 321–328
Micchelli, C.A., *see* **Dyn, N.** 7 (1–4) 129–140
Mögerle, H., *see* **Höllig, K.** 7 (1–4) 197–207
Mørken, K., *see* **Lyche, T.** 2 (1–3) 133–139
Mørken, K., *see* **Lyche, T.** 4 (3) 217–230
Mørken, K., *see* **Dokken, T.** 7 (1–4) 33–41
Mudur, S.P., *see* **Gopalsamy, S.** 8 (5) 337–356
Müllenheim, G., Convergence of a surface/surface intersection algorithm 7 (5) 415–423
Müllenheim, G., On determining start points for a surface/surface intersection algorithm 8 (5) 401–408
Müller, H., Realistic computer graphics and free form surfaces 5 (3) 187–193
Mullineux, C., Finding the compositie outer boundary and holes of a set of closed curves 5 (1) 51–58
Mummy, M.S., Hermite interpolation with B-splines (Short Communication) 6 (2) 177–179

Nachman, L.J., A note on control polygons and derivatives 8 (3) 223–225
Nadler, E., Nonnegativity of bivariate quadratic functions on a triangle 9 (3) 195–205
Nasri, A.H., Surface interpolation on irregular networks with normal conditions 8 (1) 89–96
Neamtu, M., *see* **Auerbach, S.** 8 (1) 67–88
Neff, C.A., Decomposing algebraic sets using Gröbner bases 6 (3) 249–263
Neff, C.A., *see* **Farouki, R.T.** 7 (1–4) 83–99
Neff, C.A., *see* **Farouki, R.T.** 7 (1–4) 101–127
Nielson, G.M., A locally controllable spline with tension for interactive curve design 1 (3) 199–205
Nielson, G.M. and **R. Ramaraj,** Interpolation over a sphere based upon a minimum norm network 4 (1–2) 41–57
Nielson, G.M., *see* **Foley, T.A.** 7 (1–4) 303–312
Nishita, T., *see* **Sederberg, T.W.** 8 (2) 97–114
Nowacki, H., *see* **Dannenberg, L.** 2 (1–3) 123–131
Nowacki, H., Honoring Pierre Bézier 4 (3) 167–170
Nowacki, H., *see* **Meier, H.** 4 (4) 297–305
Nowacki, H., D. Liu and **X. Lü,** Fairing Bézier curves with constraints 7 (1–4) 43–55

O'Neill, W.D., *see* **Goshtasby, A.** 10 (2) 143–156
Opitz, K., *see* **Barnhill, R.E.** 9 (5) 365–378
Ou, H.S., *see* **Barnhill, R.E.** 7 (1–4) 323–336

Pargada, M., *see* **Flaquer, J.** 9 (4) 299–312
Parkinson, D.B., Optimised biarc curves with tension 9 (3) 207–218
Patrikalakis, N.M., Approximate conversion of rational splines 6 (2) 155–165
Patrikalakis, N.M., *see* **Bardis, L.** 6 (3) 189–204
Patrikalakis, N.M., *see* **Sherbrooke, E.C.** 10 (5) 379–405
Patrikalakis, N.M., *see* **Maekawa, T.** 10 (5) 407–429
Patterson, R.P., Parametric cubics as algebraic curves 5 (2) 139–159

Perucchio, R., *see* **Sapidis, N.** 8 (6) 421–437
Petersen, C.S., Adaptive contouring of three.dimensional surfaces 1 (1) 61–74
Petersen, C.S., *see* **Jensen, T.W.** 8 (5) 357–369
Peters, J., Local smooth surface interpolation: a classification 7 (1–4) 191–195
Peters, J., Local cubic and bicubic C^1 surface interpolation with linearly varying boundary normal 7 (6) 499–516
Peters, J., Joining smooth patches around a vertex to form a C^k surface 9 (5) 387–411
Peters, J., Smooth free-form surfaces over irregular meshes generalizing quadratic splines 10 (3–4) 347–362
Pfluger, P.R., *see* **Gmelig Meyling, R.H.J.** 7 (5) 439–458
Piegl, L., Representation of quadric primitives by rational polynomials 2 (1–3) 151–155
Piegl, L., The sphere as a rational Bézier surface 3 (1) 45–52
Piegl, L., Letter to the Editor 3 (1) 79–81
Piegl, L., On the use of infinite control points in CAGD 4 (1–2) 155–166
Piper, B.R., *see* **Barnhill, R.E.** 2 (1–3) 185–187
Piper, B., *see* **Barnhill, R.E.** 4 (1–2) 3–16
Piper, B., *see* **Alfeld, P.** 4 (1–2) 105–123
Piper, B., *see* **Farin, G.** 4 (4) 329–332
Piper, B., *see* **Worsey, A.J.** 5 (3) 177–186
Piper, B., *see* **Prautzsch, H.** 8 (4) 253–265
Poeschl, T., Detecting surface irregularities using isophotes 1 (2) 163–168
Pottmann, H., Projectively invariant classes of geometric continuity for CAGD 6 (4) 307–321
Pottmann, H. and **M. Eck,** Modified multiquadric methods for scattered data interpolation over a sphere 7 (1–4) 313–321
Pottmann, H., Interpolation on surfaces using minimum norm networks 9 (1) 51–67
Pottmann, H., *see* **Barnhill, R.E.** 9 (5) 365–378
Pottmann, H., The geometry of Tchebycheffian splines 10 (3–4) 181–210
Powar, P.L., The neutral case for the min-max angle criterion: a generalized concept 9 (6) 413–418
Powar, P.L., Minimal roughness property of the Delaunay triangulation: a shorter approach 9 (6) 491–494
Pratt, M.J., *see* **Várady, T.** 1 (3) 207–225
Pratt, M.J., Smooth parametric surface approximations to discrete data 2 (1–3) 165–171
Pratt, M.J., Cyclides in computer aided geometric design 7 (1–4) 221–242
Pratt, M.J., R.J. Goult and **L. Ye,** On rational parametric curve approximation 10 (3–4) 363–377
Prautzsch, H., A short proof of the Oslo algorithm 1 (1) 95–96
Prautzsch, H., Degree elevation of B-spline curves 1 (2) 193–198
Prautzsch, H., Generalized subdivision and convergence 2 (1–3) 69–75
Prautzsch, H., Letter to the Editor 2 (4) 329
Prautzsch, H. and **C.A. Micchelli,** Computing curves invariant under halving 4 (1–2) 133–140
Prautzsch, H., *see* **Micchelli, C.A.** 4 (4) 321–328
Prautzsch, H. and **B. Piper,** A fast algorithm to raise the degree of spline curves 8 (4) 253–265
Prautzsch, H. and **T. Gallagher,** Is there a geometric variation diminishing property for B-spline or Bézier surfaces? 9 (2) 119–124
Preusser, A., Computing area filling contours for surfaces defined by piecewise polynomials 3 (4) 267–279

Quak, E. and **L.L. Schumaker,** Cubic spline fitting using data dependent triangulations 7 (1–4) 293–301

Rabien, U., Integrating patch models for hydrostatics 2 (1–3) 207–212
Rajan, V.T., *see* **Farouki, R.T.** 4 (3) 191–216
Rajan, V.T., *see* **Farouki, R.T.** 5 (1) 1–26
Rajan, V.T., *see* **Farouki, R.T.** 5 (3) 215–252
Ramaraj, R., *see* **Nielson, G.M.** 4 (1–2) 41–57
Ramshaw, L., Blossoms are polar forms 6 (4) 323–358
Ravani, B., *see* **Kallay, M.** 7 (6) 465–473
Rehwald, P., *see* **Hornung, C.** 2 (1–3) 197–205
Rein, G., *see* **Farin, G.** 4 (1–2) 91–10
Renner, G., *see* **Hermann, T.** 9 (4) 271–277
Requicha, A.A.G., *see* **Tilove, R.B.** 1 (3) 227–239
Requicha, A.A.G., *see* **Rossignac, J.R.** 3 (2) 129–148
Rescorla, K.L, Cardinal interpolation: A bivariate polynomial example 3 (4) 313–321
Rescorla, K.L., C trivariate polynomial interpolation 4 (3) 237–244
Reuding, T., Bézier patches on cubic grid curves—an application the preliminary design of a yacht hull surface 6 (1) 11–21

Riesenfeld, R., *see* **Cohen, E.** 1 (2) 131–148
Rippa, S., Minimal roughness property of the Delaunay triangulation 7 (6) 489–497
Rippa, S., *see* **Dyn, N.** 10 (6) 531–536
Rockwood, A., *see* **Ferguson, H.** 10 (3–4) 315–328
Rokne, J., *see* **Yao, C.** 8 (4) 291–303
Röschel, O., *see* **Lang, J.** 9 (4) 291–298
Rossignac, J.R. and **A.A.G. Requicha**, Offsetting operations in solid modelling 3 (2) 129–148
Rossini, M., *see* **De Tisi, F.** 9 (6) 419–423
Roulier, J.A., Bezier curves of positive curvature 5 (1) 59–70
Roulier, J.A., Specifying the arc length of Bézier curves 10 (1) 25–56

Sabharwal, C.L., *see* **Houghton, E.G.** 2 (1–3) 173–183
Sabin, M.A. and **F. Kimura**, Letters to the editor 1 (3) 289–290
Sabin, M., *see* **De Boor, C.** 4 (4) 269–278
Sapidis, N., *see* **Farin, G.** 4 (1–2) 91–103
Sarraga, R.F., G^1 interpolation of generally unrestricted cubic Bézier curves 4 (1–2) 23–39
Sablonnière, P., Bernstein–Bézier methods for the construction of bivariate spline approximations 2 (1–3) 29–36
Said, H.B., *see* **Goodman, T.N.T.** 8 (2) 115–121
Sakkalis, T., *see* **Farouki, R.T.** 8 (2) 151–157
Sakkalis, T. and **R.T. Farouki**, Algebraically rectifiable parametric curves 10 (6) 551–569
Sanglikar, M.A., P. Koparkar and **V.N. Joshi**, Modelling rolling ball blends for computer aided geometric design 7 (5) 399–414
Sapidis, N.S. and **P.D. Kaklis**, An algorithm for constructing convexity and monotonicity-preserving splines in tension 5 (2) 127–137
Sapidis, N. and **R. Perucchio**, Delaunay triangulation of arbitrarily shaped planar domains 8 (6) 421–437
Sapidis, N.S. and **W.H. Frey**, Controlling the curvature of a quadratic Bézier curve 9 (2) 85–91
Sarfraz, M., *see* **Gregory, J.A.** 7 (1–4) 1–13
Sarkar, B. and **C.-H. Menq**, Parameter optimization in approximating curves and surfaces to measurement data 8 (4) 267–290
Sarraga, R.F., Errata: G^1 interpolation of generally unrestricted cubic Bézier curves (Short Communication) 6 (2) 167–171
Sauer, T., Multivariate Bernstein polynomials and convexity 8 (6) 465–478
Schaback, R., Interpolation with piecewise quadratic visually C^2 Bézier polynomials 6 (3) 219–233
Schaback, R., Error estimates for approximations from control nets 10 (1) 57–66
Schaback, R., *see* **Bürger, H.** 10 (3–4) 277–291
Schaeben, H., *see* **Auerbach, S.** 8 (1) 67–88
Schindler, F., *see* **Jordan, M.C.** 1 (4) 291–300
Schneider, F.-J., *see* **Hoschek, J.** 6 (4) 293–306
Schulze, G., *see* **Hagen, H.** 4 (3) 231–235
Schumaker, L.L., *see* **Cohen, E.** 2 (1–3) 229–235
Schumaker, L.L., Letter to the Editor 3 (1) 77
Schumaker, L.L. and **W. Volk**, Efficient evaluation of multivariate polynomials 3 (2) 149–154
Schumaker, L.L., *see* **Alfeld, P.** 4 (1–2) 105–123
Schumaker, L.L., Dual bases for spline spaces on cells 5 (4) 277–284
Schumaker, L.L., *see* **Quak, E.** 7 (1–4) 293–301
Schumaker, L.L., Computing optimal triangulations using simulated annealing 10 (3–4) 329–345
Schwartz, A.J., *see* **Lachance, M.A.** 8 (2) 143–149
Sederberg, T.W., Planar piecewise algebraic curves 1 (3) 241–255
Sederberg, T.W., Degenerate parametric curves 1 (4) 301–307
Sederberg, T.W., *see* **Goldman, R.N.** 1 (4) 327–356
Sederberg, T.W., Piecewise algebraic surface patches 2 (1–3) 53–59
Sederberg, T.W., Improperly parametrized rational curves 3 (1) 67–75
Sederberg, T.W. and **X. Wang**, Rational hodographs (Short Communication) 4 (4) 333–335
Sederberg, T.W. and **R.J. Meyers**, Loop detection in surface path intersections 5 (2) 161–171
Sederberg, T.W., *see* **Katz, S.** 5 (3) 253–258
Sederberg, T.W., S.C. White and **A.K. Zundel**, Fat arcs: a bounding region with cubic convergence 6 (3) 205–218
Sederberg, T.W. and **T. Nishita**, Geometric Hermite approximation of surface patch intersection curves 8 (2) 97–114
Seidel, H.P., Knot insertion from a blossoming point of view 5 (1) 81–86
Seidel, H.-P., A new multiaffine approach to B-splines 6 (1) 23–32
Seidel, H.-P., Symmetric triangular algorithms for curves 7 (1–4) 57–67

Seidel, H.-P., On Hermite interpolation with B-splines 8 (6) 439–441
Seidel, H.-P., *see* **Fong, P.** 10 (3–4) 267–275
Séquin, C.H., *see* **Shirman, L.A.** 4 (4) 279–295
Séquin, C.H., *see* **Shirman, L.A.** 7 (5) 375–388
Séquin, C.H., *see* **Shirman, L.A.** 8 (3) 217–221
Seroussi, G., *see* **Lempel, A.** 9 (5) 349–363
Sherbrooke, E.C. and **N.M. Patrikalakis**, Computation of the solutions of nonlinear polynomial systems 10 (5) 379–405
Shilat, E., *see* **Bercovier, M.** 10 (3–4) 253–265
Shin, H.-y., *see* **Choi, B.K.** 10 (2) 157–171
Shirman, L.A. and **C.H. Séquin**, Local surface interpolation with Bézier patches 4 (4) 279–295
Shirman, L.A. and **C.H. Séquin**, Local surface interpolation with shape parameters between adjoining gregory patches 7 (5) 375–388
Shirman, L.A. and **C.H. Séquin**, Local surface interpolation with Bézier patches: errata and improvements 8 (3) 217–221
Shi, X.-Q., The singularity of Morgan–Scott triangulation 8 (3) 201–206
Siegel, J., *see* **Balbes, R.** 8 (4) 327–335
Souvaine, D.L., *see* **Dobkin, D.P.** 8 (3) 181–199
Stead, S.E., *see* **Barnhill, R.E.** 2 (1–3) 185–187
Stefanus, Y. and **R.N. Goldman**, Blossoming Marsden's identity 9 (2) 73–84
Storry, D.J.T. and **A.A. Ball**, Design of an n-sided surface patch from Hermite boundary data 6 (2) 111–120
Stoyanov, Tz.E., Marching along surface/surface intersection curves with an adaptive step length 9 (6) 485–489
Strasser, W., *see* **Hornung, C.** 2 (1–3) 197–205
Su, B., *see* **Chang, G.** 2 (1–3) 37–42
Sugihara, K., *see* **Dey, T.K.** 9 (6) 457–470
Sun, J., *see* **Zhao, K.** 5 (2) 119–125

Thamm-Schaar, T.-M., *see* **Dahmen, W.** 10 (2) 89–108
Thoenes, C., Uccello's chalice 1 (2) 97–99
Thomas, R.S.D., *see* **Meek, D.S.** 8 (2) 163–174
Thomas, R.S.D., *see* **Meek, D.S.** 10 (6) 491–507
Tiller, W., *see* **De Montaudouin, Y.** 1 (4) 309–326
Tilove, R.B., A.A.G. Requicha and **M.R. Hopkins**, Efficient editing of solid models by exploiting structural and spatial locality 1 (3) 227–239
Tuohy, S.T., *see* **Wolter, F.-E.** 9 (4) 241–270
Tytgat, B., *see* **Dierckx, P.** 6 (4) 279–291

Unsworth, K., *see* **Goodman, T.N.T.** 5 (4) 323–340

Van Wijk, J.J., Bicubic patches for approximating non-rectangular control-point meshes 3 (1) 1–13
Várady, T. and **M.J. Pratt**, Design techniques for the definition of solid objects with free-form geometry 1 (3) 207–225
Varady, T., Overlap patches: a new scheme for interpolating curve networks with n-sided regions 8 (1) 7–27
Vickers, G.W., *see* **Bedi, S.** 6 (2) 87–96
Volk, W., *see* **Schumaker, L.L.** 3 (2) 149–154

Waggenspack Jr., W.N. and **D.C. Anderson**, Piecewise parametric approximations for algebraic curves 6 (1) 33–53
Walter, R., Visibility of surfaces via differential geometry 7 (1–4) 353–373
Wang, D.M., Irreducible decomposition of algebraic varieties via characteristic sets and Gröbner bases 9 (6) 471–484
Wang, G., *see* **Zheng, J.** 9 (5) 321–335
Wang, G.-J. and **G.-Z. Wang**, The rational cubic Bézier representation of conics 9 (6) 447–455
Wang, G.-Z., *see* **Wang, G.-J.** 9 (6) 447–455
Wang, T., A C^2-quintic spline interpolation scheme on triangulation 9 (5) 379–386
Wang, X., *see* **Sederberg, T.W.** 4 (4) 333–335
Wang, Z.-B. and **Q.-M. Liu**, An improved condition for the convexity and positivity of Bernstein–Bézier surfaces over triangles 5 (4) 269–275
Warren, J., *see* **Garrity, T.** 6 (2) 137–153
Warren, J., *see* **Garrity, T.** 8 (1) 51–65
Wassum, P., *see* **Hoschek, J.** 6 (4) 293–306

Wassum, P., *see* **Jüttler, B.** 9 (2) 143–157
Watkins, M.A., *see* **Jensen, T.W.** 8 (5) 357–369
Whelan, T., *see* **Barnhill, R.E.** 1 (3) 285–287
Whelan, T., A representation of a C^2 interpolant over triangles 3 (1) 53–66
White, S.C., *see* **Sederberg, T.W.** 6 (3) 205–218
Wolter, F.-E. and **S.T. Tuohy,** Curvature computations for degenerate surface patches 9 (4) 241–270
Worsey, A.J., *see* **Barnhill, R.E.** 1 (2) 101–113
Worsey, A.J., A modified C^2 Coons' patch 1 (4) 357–360
Worsey, A.J., C^2 interpolation over hypercubes 2 (1–3) 107–115
Worsey, A.J., *see* **Farin, G.** 4 (1–2) 91–103
Worsey, A.J., *see* **Farin, G.** 4 (4) 329–332
Worsey, A.J. and **B. Piper,** A trivariate Powell–Sabin interpolant 5 (3) 177–186
Worsey, A.J. and **G. Farin,** Contouring a bivariate quadratic polynomial over a triangle 7 (1–4) 337–351
Worsey, A., *see* **Farin, G.** 7 (6) 533–546
Wu, D.-B., Dual bases of a Bernstein polynomial basis on simplices 10 (6) 483–489

Yan, Z., *see* **DeVore, R.A.** 3 (3) 205–215
Yao, C. and **J. Rokne,** An efficient algorithm for subdividing linear Coons surfaces 8 (4) 291–303
Ye, L., *see* **Pratt, M.J.** 10 (3–4) 363–377
Yfantis, E.A., A new quadratic and biquadratic algorithm for curve and surface estimation 10 (6) 509–520
Yoo, W.S., *see* **Choi, B.K.** 10 (2) 157–171

Zhao, K. and **J. Sun,** Dual bases of multivariate Bernstein–Bézier polynomials 5 (2) 119–125
Zheng, J.-J., The convexity of parametric Bézier triangular patches of degree 2 10 (6) 521–530
Zheng, J., G. Wang and **Y. Liang,** Curvature continuity between adjacent rational Bézier patches 9 (5) 321–335
Zhou, C.-Z., On the convexity of parametric Bézier triangular surfaces 7 (6) 459–463
Zhou, J., *see* **Gregory, J.A.** 8 (3) 207–211
Zhu, R.-F., *see* **Barry, P.J.** 9 (3) 175–183
Zundel, A.K., *see* **Sederberg, T.W.** 6 (3) 205–218